






Fig._2
































ļ.


Hart And Ages may may


























	Variables	Variable Types		Objective		Variable Bounds	Quadratics	g manifest i manifest	Constraints		\	12	14			Inequality RHS	0	"CP	0	10K
3	<i>၂</i> ပ	-	0	2.	. 0	9		_ _ _		\Box	_	_	U	\supset	0	<u>-</u>	C.3			c
Gr.	ပ		4	4	-		<u> </u>		0	0	0		ζ,	<u></u>		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			<u> </u>	
02	8	0		<u> </u>	C	0	0	9	<u></u>	_	~	C	0	0	0	0,			****	<u> </u>
٥٠	8	0	0	-		0	0	7	<u>;</u>	<u> </u>		0	0	\bigcirc	0	Ö	0	C.		<u>추</u>
\$2,2	ပ	- <u>1</u>	0	0.1	C	0	0	0	, <u> </u>		0	<u> </u>	0	0	\Diamond	0			=	
\$2,1	ပ	ρ̈́	0	0.1	, 0	0	0	_	\bigcirc	7	0	_		0	\circ	! 	· _		=	0
S _{1,2}	υ	우	0	0.1	-	٦	_			0	0	=	C	``	<u></u>		, 🗆	7	c	_
S _{1,1}	ပ	-1C	0	0.2	· ->		<u> </u>		0	\circ	5		C	ت	<i>ت</i>	<u>C</u>	, C	7	C	/
b ₂	ပ	.TC	0	0.2	, =	C٠	ر ،	C.	0	0	0	Ō		C.		(J	C)	€7,	c	C
و	ပ	<u>5</u> -	0	0.1			-	0	0	0	\circ		,	₅	<u> </u>	c ,	پسب ن	—	~	
f3	ပ	香	-5.0	2.7	, 0	0	0	0	C	م جم.	o _{fra}	σ_{f3}^2	C	0		c '	, O			C
4 23	U	ā	-7.0	6.3		<u>.</u>	0		0	رجي.	92 22	ريتر	0	೦	0	c .	C		,	C
25	U	Œ	ŋ	4.5		0	0		0	$\sigma_{j_1}^2$	25	2,50	0	0	0	c l	7	5		=
W5	ပ	0	0	0.3	0	0	0	0	$\sigma_{\tilde{x}_3}^2$	(Çı	5	O	0	0	7	(د	ج ج		=	C,
₽W.	ပ	0	0	0.3	0	0	0	75	Ċ	_			0	0	0	o j	f,4	O	Ξ	C2
, W ₃	ပ	0	0	0.3	0	<u> </u>	9,		С	9		=	C	0	0		₹.	C	_	0;
11/2	U	0	0	0.3	0	ζ. Ž.	_	0	0	0	0			5	0		f,2		0	C
W	ပ	0	0	0	, g	0	٥		0	0		0	ث		ت 		f _{,1}	~	0	C
Variables	Vartobio Type	(Objective (Linear)	Dounds LB	Bh .	Ohjective (Ounifrado)											911		Cunstains		

Fig._16

24/24




Fig._17